

Date of issue: 30 September 2022  
Revised by: Simonne Moses - HSNO Consultant SDS No: 1

# Safety Data Sheet

## Orange Degreaser

Classified as: Hazardous according to the EPA Hazardous Substances  
(Hazard Classifications) Notice 2020.

### Section 1: SUBSTANCE AND SUPPLIER DETAILS

**Product Name:** Orange Degreaser

**Supplier:** PureWax Ltd  
Unit 14, 88 Hobsonville Road  
Hobsonville  
Auckland 0618  
New Zealand

**Phone:** 0800 PUREWX (787 399)

**Recommended Use:** Degreaser

**In Case of Emergency Contact:**

**CHEMCALL:** 0800 CHEMCALL (243 622)

### Section 2: HAZARDS IDENTIFICATION

This product is classified as a Dangerous Good for Transport.

This product is classified as hazardous according to criteria in the EPA Hazardous Substances (Hazard Classifications) Notice 2020.

Classified under the group standard "Cleaning Products (Corrosive) Group Standard 2020"

HSNO APPROVAL NUMBER: **HSR002526**

HSNO CLASSIFICATIONS: 6.5B – Contact sensitiser  
8.1A – Corrosive to metal  
8.2C – Skin corrosive  
8.3A – Corrosive to eyes  
9.1C – Harmful in the aquatic environment with long lasting effects

GHS Classifications: Skin sensitiser – Category 1  
Corrosive to metals – Category 1  
Skin corrosion – Category 1C  
Serious eye damage – Category 1  
Aquatic toxicity (chronic) – Category 3

Hazard Statements:

H290 May be corrosive to metals  
H314 Causes severe skin burns and eye damage  
H317 May cause an allergic skin reaction

H318 Causes serious eye damage  
H412 Harmful to aquatic life with long lasting effects

GHS Pictograms:



## DANGER

### PREVENTION STATEMENTS:

- P234 – Keep only in original container.
- P260 – Do not breathe mist/vapours/spray.
- P264 - Wash hands, exposed skin, thoroughly after handling.
- P272 – Contaminated work clothing should not be allowed out of the workplace.
- P273 - Avoid release to the environment.
- P280 - Wear protective gloves, protective clothing, eye protection, face protection.

### RESPONSE STATEMENTS:

- P301 + P330 + P331 – IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
- P303 + P361 + P353 – IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
- P363 – Wash contaminated clothing before re-use.
- P304 + P340 – IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.
- P305 + P351 + P338 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310 – Immediately call a POISON CENTER or doctor/physician.
- P321 – Specific treatment (see first aid panel on this label).
- P333 + P313 – If skin irritation or rash occurs: Get medical advice/attention.
- P390 – Absorb spillage to prevent material damage.

### STORAGE

- P405 – Store locked up.
- P406 – Store in corrosive resistant container with a resistant inner liner.

### DISPOSAL

- P501 - In accordance with the EPA Hazardous Substances (Disposal) Notice 2017. Dispose of via an approved waste disposal contractor. Refer to Section 13 of this SDS.

## Section 3: COMPOSITION / INFORMATION ON INGREDIENTS

Mixture: Degreaser

Main Component	CAS Number	Concentration
Ethoxylated Alcohol	68439-46-3	3 - 5%
Sodium hydroxide	1310-73-2	< 3%
Sodium metasilicate	6834-92-0	< 3%
EDTA	64-02-8	< 3%

Orange, terpenes	68647-72-3	< 1%
------------------	------------	------

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

#### Section 4: FIRST AID MEASURES

<b>Workplace Facilities Required:</b>	Eye wash and safety shower facilities must be provided in the workplace.
<b>If Inhaled:</b>	Remove to fresh air. Lie patient down and keep warm and at rest. Apply artificial respiration if not breathing. Seek immediate medical attention.
<b>In Contact with Eye:</b>	Hold eyes open, flush with water for at least 15 minutes. Seek immediate medical attention. Continue flushing.
<b>In Contact with Skin:</b>	Wash skin with plenty of water, while removing contaminated clothing and shoes. Wash contaminated clothing before re-use. Seek immediate medical attention.
<b>If Swallowed:</b>	DO NOT INDUCE VOMITING. Rinse mouth. Give small quantities of water. Never give anything by mouth to an unconscious person. Seek immediate medical attention. If vomiting occurs, keep head below hips to prevent aspiration to lungs.
<b>Advice to Doctor:</b>	Treat symptomatically.

#### Section 5: FIRE FIGHTING MEASURES

<b>Fire/Explosion Hazard:</b>	Product is not flammable or combustible.
<b>Suitable Extinguishing Media:</b>	Use water spray or fog, foam, dry chemical powder, or carbon dioxide. Remove containers from path of fire if safe to do so. Cool exposed containers with water spray from a safe location.
<b>Precautions in Connection with Fire:</b>	May give off toxic and corrosive fumes in a fire containing oxides of carbon and silica.
<b>Advice for firefighters:</b>	Wear full firefighting gear and self-contained breathing apparatus. Prevent spills from entering drains and water courses.

#### Section 6: ACCIDENTAL RELEASE MEASURES

**An emergency response plan complying with Part 5 of the Health and Safety at Work (Hazardous Substances) Regulations 2017 is required when held in quantities greater than 1,000L.**

<b>Precautions:</b>	Clear area of all unprotected personnel. Keep unnecessary and unprotected personnel from entering area. Avoid generating mist/spray. Avoid release to the environment. If spill does enter waterways inform the relevant authority (e.g. Local Council Pollution hotline).
---------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Date of issue: 30 September 2022  
Revised by: Simonne Moses - HSNO Consultant SDS No: 1

---

**Suitable Protective Equipment:** Emergency responders must use personal protective equipment, including gloves, protective overalls and footwear, safety goggles or face shield and respiratory protection.

**Spill or Leak Procedures.** Stop leak if safe to do so. Contain the spill. Spills may be neutralised with dilute acid. For large spills, make a slurry paste with the acid and using a plastic broom, slowly sweep the slurry into the spill working from the sides of the spill towards the centre. Continue until all reaction has stopped. Use inert material such as sand, earth, or vermiculite to absorb spill. Collect spilled material and place in a suitable, clean, chemical waste container. Ensure waste container is properly labelled.

**Waste Disposal Methods:** Dispose of as per Section 13.

**Emergency preparation:** Ensure there is appropriate and adequate personal protective equipment, trained personnel and clean up materials for management of accidental release.

## Section 7: HANDLING AND STORAGE

**Precautions for Safe Handling:** Avoid contact with skin and eyes. Do not breathe mist/spray. To avoid violent reactions always add product to water not water to product. Do not eat, drink, or smoke when using this product. Remove contaminated clothing and wash hands and face before entering eating areas.

**Storage:** Keep container tightly closed when not in use. Store locked up. Store in original container in a cool, dry, well-ventilated area. Keep away from food, drink, and animal feed. Ensure storage area has suitable secondary containment.

**Site Storage Requirements:** Site Signage will be required when quantities exceed 1,000L.

## Section 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

**Workplace Exposure Standards NZ:** No Workplace Exposure Standards have been established for this product.

Workplace Exposure Standards for ingredients:

Sodium hydroxide: Ceiling 2 mg/m<sup>3</sup>

**Engineering Controls:** Eyewash facilities and safety showers should be provided in the work area where there is a risk of exposure to eyes and skin. If natural ventilation is insufficient consider engineering controls such as local exhaust ventilation to ensure workers are not exposed to levels exceeding the exposure standards.

**Personal Protective Equipment:** Avoid contact with the skin and eyes. Avoid inhaling mist/spray.

**Hand protection:** Wear protective gloves that are resistant to the product, e.g. PVC. Gloves should be elbow length. Refer to Australian and New Zealand Standard AS/NZS 2161 for protective gloves.

**Skin and body protection:** Use protective overalls. Wear a PVC apron when handling large quantities. Remove any contaminated clothing to avoid prolonged contact with the skin. Wash work clothes regularly. Refer to Australian and New Zealand Standard AS/NZS 4501 for occupational protective clothing.

**Eye protection:** Use chemical safety goggles to protect eyes. When handling bulk quantities where there may be a risk of splashing, a face shield may also be used along with

eye protection to protect the face. Refer to AS/NZS 1336 for suitable eye and face protection.

**Respiratory protection:** Where there is inadequate ventilation and use results in the formation of mist/spray, use a respirator. Refer to AS/NZS 1715 and AS/NZS 1716 for suitable respiratory protection.

**Other information:** PPE selected must be impervious to the substance. Do not eat, smoke, or drink where material is handled, processed, or stored. Wash hands carefully before eating, drinking, or smoking. Handle in accordance with safe industrial hygiene practices.

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

<b>Description:</b>	Liquid	<b>Colour:</b>	Orange
<b>Odour:</b>	Citrus	<b>Odour Threshold:</b>	Not available
<b>pH:</b>	12	<b>Solubility (water, 25°C):</b>	Soluble
<b>Melting/Freezing point:</b>	Not available	<b>Boiling Point:</b>	> 100°C
<b>Flammability:</b>	Non-flammable	<b>Flash Point:</b>	Not applicable
<b>UEL/LEL:</b>	Not applicable	<b>Vapour Pressure (20°C):</b>	< 1
<b>Decomposition Temp:</b>	Not available	<b>Autoignition Temp:</b>	Not applicable
<b>Relative Density:</b>	1.02 (water = 1)	<b>Vapour Density:</b>	> 1
<b>Partition Coefficient: n-octanol/water</b>	Not available	<b>Viscosity:</b>	Not available
<b>Particle characteristics:</b>	Not applicable		

## Section 10: STABILITY AND REACTIVITY

<b>Stability:</b>	Stable under normal cool, dry storage conditions.
<b>Reactivity:</b>	Reacts exothermically with acids.
<b>Conditions to Avoid:</b>	Contact with metals. Formation of mist/spray.
<b>Incompatibility:</b>	Incompatible with acids, oxidising agents, metals.
<b>Hazardous Decomposition:</b>	Thermal decomposition may result in formation of oxides of carbon and silica.

## Section 11: TOXICOLOGICAL INFORMATION

### Acute Exposure

<b>Acute Toxicity:</b>	LD50 oral > 2000 mg/kg. LD50 dermal >5000 mg/kg LC50 inhalation >5 mg/L (dust or mist)
<b>Inhalation:</b>	Inhalation of spray/mist may cause respiratory irritation.
<b>Ingestion:</b>	May cause chemical burns to the gastrointestinal tract.

Date of issue: 30 September 2022  
Revised by: Simonne Moses - HSNO Consultant SDS No: 1

---

**Skin Contact:** Corrosive to skin, causes chemical burns.  
**Eye Contact:** Corrosive to eyes.  
**Sensitiser:** Product is a contact sensitiser and may cause eczema or contact dermatitis. Not expected to be a respiratory sensitiser.

**Chronic Exposure:**  
**Mutagen/Carcinogen/Reproductive Toxicant** No known effects.

**Specific Target Organ Systemic Toxicity:** No known effects.

Toxicity data is based on hazardous ingredient information and information in the EPA Chemical Classification and Identification Database.

## Section 12: ECOLOGICAL INFORMATION

**Ecotoxicity:** LC/EC<sub>50</sub> > 10 but ≤ 100 mg/L.  
Harmful in the aquatic environment with long lasting effects. Avoid losses to the environment wherever possible.

**Persistence/degradability:** No data

**Bioaccumulation:** No data

**Mobility:** Product is soluble in water.  
Ecotoxicity data is based on hazardous ingredient information.

## Section 13: DISPOSAL CONSIDERATIONS

**Disposal:** Recycle and reuse wherever possible. Waste product may be treated with dilute acid to neutralise it. Dispose of waste product via an approved waste disposal contractor.

**Disposal of Packaging:** Packaging may contain product residues and should be treated as hazardous. Where possible return to supplier for reuse/recycling. Dispose of packaging via an approved waste disposal contractor.

## Section 14: TRANSPORT INFORMATION

This product is classified as a Dangerous Good for transport in accordance with NZS5433:2020, IMDG or IATA.



Date of issue: 30 September 2022  
Revised by: Simonne Moses - HSNO Consultant SDS No: 1

---

Hazchem Code: 2X

NZS5433:2020

UN No: 3266

Proper Shipping Name: Corrosive liquid, basic, inorganic, n.o.s (contains sodium hydroxide)

Class: 8

Packing Group: III

Environmental hazard: Not applicable

Limited Quantity: 5L

IMDG:

UN No: 3266

Proper Shipping Name: Corrosive liquid, basic, inorganic, n.o.s (contains sodium hydroxide)

Class: 8

Packing Group: III

Marine Pollutant: No

EmS: F-A, S-B

Limited Quantity: 5L

IATA:

UN No: 3266

Proper Shipping Name: Corrosive liquid, basic, inorganic, n.o.s (contains sodium hydroxide)

Class: 8

Packing Group: III

Environmental hazard: Not applicable

ERG Code: 8L

Special Provisions: A3, A803

Cargo Only: Packing Instructions – 855, Maximum Quantity/Pack – 60L

Passenger and Cargo: Packing Instructions – 851, Maximum Quantity/Pack – 5L

Passenger and Cargo Limited Quantity: Packing Instructions – Y840, Maximum Quantity/Pack – 1L

Ensure transportation methods prevent leakage from packages and collapsing loads.

## Section 15: REGULATORY INFORMATION

**Group Standard Allocation:** Cleaning Products (Corrosive) Group Standard 2020

**HSNO Approval Code:** HSR002526

**Classifications:**  
Skin sensitiser – Category 1  
Corrosive to metals – Category 1  
Skin corrosion – Category 1C  
Serious eye damage – Category 1  
Aquatic toxicity (chronic) – Category 3

Date of issue: 30 September 2022  
Revised by: Simonne Moses - HSNO Consultant SDS No: 1

---

This substance triggers:	Compliance Certificate	N/A
	Certified Handler	N/A
	Quantity to be secured when unattended	N/A
	Emergency Response Plan	1,000L
	Secondary Containment	1,000L
	Signage	1,000L

This substance is not required to be Tracked.

All workplace personnel handling this substance are required to be trained on the safe handling and PPE requirements for the hazards associated with this substance.

## Section 16: OTHER INFORMATION

The information provided in this Safety Data Sheet relates only to the specific material designated herein. This Safety Data Sheet summarises our best knowledge of the health and safety hazard information of the product and how to safely handle the product in the workplace. Each user should read this SDS and consider the information in the context of how the product will be handled and used in the workplace including its use in conjunction with other products.

This substance is approved under HSNO for use as a cleaning product. All reasonable care has been taken to ensure that the information and advice contained herein are from sources believed to be reliable and to represent the most up-to-date knowledge available at the date given in Section 16. No liability is assumed for any damages related to the use or misuse of this substance.

All chemical materials may present unknown hazards as people have varying degrees of sensitivity to chemicals. Therefore, this product should be used with caution. The information herein is given in good faith, but no warranty, express or implied is made.

SDS Issued: 30/09/2022

Reason for Revision: Update to New Zealand regulatory requirements.

References:

EPA NZ Chemical Classification and Information Database  
European Chemical Classification Database  
EPA Guide: Assigning a Hazardous Substance to a Group Standard, 2014  
Supplier SDS: 3D International, USA, Orange Degreaser, February 2017

**END OF SAFETY DATA SHEET**