Revised by: Simonne Moses - HSNO Consultant SDS No: 1

Safety Data Sheet Eraser

Classified as: Hazardous according to the EPA Hazardous Substances (Hazard Classifications) Notice 2020.

Section 1: SUBSTANCE AND SUPPLIER DETAILS

Product Code / Name: 107 / Eraser

Supplier: PureWax Pty Ltd

PO Box 94 Deer Park

Victoria 3023

Australia

Phone: 1300 891 779

Recommended Use: Water spot remover

In Case of Emergency Contact:

CHEMCALL: 0800 CHEMCALL (243 622)

Section 2: HAZARDS IDENTIFICATION

This product is classified as a Dangerous Good for Transport.

This product is classified as hazardous according to criteria in the EPA Hazardous Substances (Hazard Classifications) Notice 2020.

Classified under the group standard "Cleaning Products (Corrosive) Group Standard 2020"

HSNO APPROVAL NUMBER: HSR002526

HSNO CLASSIFICATIONS: 6.1D - Acutely toxic, oral

6.3A – Skin irritant 6.4A – Eye irritant 8.1A – Corrosive to metal

GHS Classifications: Acute toxicity oral – Category 4

Corrosive to metals – Category 1 Skin irritation – Category 2 Serious eye irritation – Category 2

Hazard Statements:

H290 May be corrosive to metals H302 Harmful if swallowed H315 Causes skin irritation H319 Causes serious eye irritation

Revised by: Simonne Moses - HSNO Consultant SDS No: 1

GHS Pictograms:





DANGER

PREVENTION STATEMENTS:

P102 - Keep out of reach of children.

P234 - Keep only in original container.

P264 - Wash hands, exposed skin, thoroughly after handling.

P270 - Do not eat, drink, or smoke when using this product.

P280 - Wear protective gloves, protective clothing, eye protection, face protection.

RESPONSE STATEMENTS:

P301 + P312 - IF SWALLOWED: Call a POISON CENTRE or doctor if you feel unwell.

P330 - Rinse mouth.

P302 + P352 - IF ON SKIN: Wash with plenty of water.

P321 – Specific treatment (see first aid panel on this label).

P362 + P364 – Take off contaminated clothing and wash it before reuse.

P305 + P351 + P338 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332 + P337 + P313 – If skin irritation occurs, or eye irritation persists: Get medical advice/attention.

P390 – Absorb spillage to prevent material damage.

STORAGE

P406 – Store in corrosive resistant container with a resistant inner liner.

DISPOSAL

P501 - In accordance with the EPA Hazardous Substances (Disposal) Notice 2017. Dispose of via an approved waste disposal contractor. Refer to Section 13 of this SDS.

Section 3: COMPOSITION / INFORMATION ON INGREDIENTS

Mixture: Microfibre towel detergent

Main Component	CAS Number	Concentration
Phosphoric acid	7664-38-2	10 - 15%
Ammonium bifluoride	1341-49-7	< 3%
Sodium chloride	7647-14-5	< 3%

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Revised by: Simonne Moses - HSNO Consultant SDS No: 1

Section 4: FIRST AID MEASURES

Workplace Facilities

Required:

Eye wash and safety shower facilities must be provided in the workplace.

If Inhaled: Remove to fresh air. Lie patient down and keep warm and at rest. Seek medical

attention if symptoms develop and persist.

In Contact with Eye: Hold eyes open, flush with water for at least 15 minutes. Seek medical attention if

irritation develops and persists. Continue flushing.

In Contact with Skin: Wash skin with plenty of water, while removing contaminated clothing and shoes. Wash

contaminated clothing before re-use. Seek medical attention if irritation develops and

persists.

If Swallowed: DO NOT INDUCE VOMITING. Rinse mouth. Give small quantities of water. Never give

anything by mouth to an unconscious person. Seek immediate medical attention. If

vomiting occurs, keep head below hips to prevent aspiration to lungs.

Advice to Doctor: Treat symptomatically.

Section 5: FIRE FIGHTING MEASURES

Fire/Explosion Hazard: Product is not flammable or combustible.

Suitable Extinguishing

Media:

Use water spray or fog, foam, dry chemical powder, or carbon dioxide. Remove containers from path of fire if safe to do so. Cool exposed containers with water

spray from a safe location.

Precautions in Connection

with Fire:

May give off toxic and corrosive fumes in a fire containing fluorine, ammonium, and

phosphorus compounds.

Advice for firefighters: Wear full firefighting gear and self-contained breathing apparatus.

Section 6: ACCIDENTAL RELEASE MEASURES

An emergency response plan complying with Part 5 of the Health and Safety at Work (Hazardous Substances) Regulations 2017 is required when held in quantities greater than 1,000L.

Precautions: Clear area of all unprotected personnel. Keep unnecessary and unprotected

personnel from entering area. Avoid generating mist/spray.

Suitable Protective

Equipment: Emergency responders must use personal protective equipment, including gloves,

protective overalls and footwear, safety goggles, and respiratory protection.

Stop leak if safe to do so. Contain the spill. Use inert material such as sand, earth,

or vermiculite to absorb spill. Collect spilled material and place in a suitable, clean, chemical waste container. Do not use metal containers. Ensure waste container is

properly labelled.

Waste Disposal Methods: Dispose of as per Section 13.

Emergency preparation: Ensure there is appropriate and adequate personal protective equipment, trained

personnel and clean up materials for management of accidental release.

Eraser REV 1 Page 3 of 8

Revised by: Simonne Moses - HSNO Consultant SDS No: 1

Section 7: HANDLING AND STORAGE

Precautions for Safe

Handling:

Avoid contact with skin and eyes. Do not breathe mist/spray. Do not eat, drink, or smoke when using this product. Remove contaminated clothing and wash

hands and face before entering eating areas.

Storage: Keep out of reach of children. Keep container tightly closed when not in use.

Store in original container in a cool, dry, well-ventilated area. Keep away from

food, drink, and animal feed.

Site Storage Requirements: Site Signage will be required when quantities exceed 1,000L.

Section 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Workplace Exposure Standards NZ:

No Workplace Exposure Standards have been established for this product.

Workplace Exposure Standards for ingredient:

Phosphoric acid: TWA 1 mg/m³

Engineering Controls: Eyewash facilities and safety showers should be provided in the work area where

there is a risk of exposure to eyes and skin. If natural ventilation is insufficient consider engineering controls such as local exhaust ventilation to ensure workers

are not exposed to levels exceeding the exposure standards.

Personal Protective

Equipment:

Avoid contact with the skin and eyes. Avoid inhaling mist/spray.

Hand protection: Wear protective gloves that are resistant to the product, e.g. PVC. Refer to

Australian and New Zealand Standard AS/NZS 2161 for protective gloves.

Skin and body protection: Use protective overalls. Remove any contaminated clothing to avoid prolonged

contact with the skin. Wash work clothes regularly. Refer to Australian and New

Zealand Standard AS/NZS 4501 for occupational protective clothing.

Eye protection: Use safety glasses with side shields or safety goggles. Refer to AS/NZS 1336 for

suitable eye and face protection.

Respiratory protection: Where there is inadequate ventilation and use results in the formation of

mist/spray, use a respirator. Refer to AS/NZS 1715 and AS/NZS 1716 for

suitable respiratory protection.

Other information: PPE selected must be impervious to the substance. Do not eat, smoke, or drink

where material is handled, processed, or stored. Wash hands carefully before eating, drinking, or smoking. Handle in accordance with safe industrial hygiene

practices.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Description: Liquid Colour: Blue

Odour: Unscented Odour Threshold: Not available

pH: 5 Solubility (water, 25°C): Soluble

Melting/Freezing point: Not available Boiling Point: > 99°C

Eraser REV 1 Page 4 of 8

Simonne Moses - HSNO Consultant SDS No: Revised by: 1

Non-flammable Flash Point: Not applicable Flammability: Vapour Pressure (20°C): **UEL/LEL:** Not applicable Not determined **Autoignition Temp: Decomposition Temp:** Not available Not applicable **Relative Density:** 1.06 (water = 1)Vapour Density: Not determined

Partition Coefficient: n-

octanol/water

Particle characteristics: Not available

Viscosity: Not available

Not applicable

Section 10: STABILITY AND REACTIVITY

Stability: Stable under normal cool, dry storage conditions.

May react exothermically with alkalis. Reactivity:

Conditions to Avoid: Contact with metals. Formation of mist/spray.

Incompatibility: Incompatible with alkalis, metals.

Hazardous Decomposition: Thermal decomposition may result in formation of fluorine, phosphorus and

ammonium compounds.

Section 11: TOXICOLOGICAL INFORMATION

Acute Exposure

Acute Toxicity: LD50 oral >300 - \leq 2000 mg/kg.

LD50 dermal >5000 mg/kg

LC50 inhalation >5 mg/L (dust or mist)

Inhalation: Inhalation of spray/mist may cause respiratory irritation.

Ingestion: Harmful if swallowed. May cause nausea, vomiting.

Skin Contact: Skin irritant.

Eye Contact: Serious eye irritant.

Not expected to be a respiratory or contact sensitiser. Sensitiser:

Chronic Exposure:

Mutagen/Carcinogen/Reproductive

Toxicant

No known effects.

Specific Target Organ Systemic

Toxicity:

No known effects.

Toxicity data is based on hazardous ingredient information and information in the

EPA Chemical Classification and Identification Database.

Revised by: Simonne Moses - HSNO Consultant SDS No: 1

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity: $LC/EC_{50} > 100 \text{ mg/L}.$

Not classified as ecotoxic.

Persistence/degradability: No data

Bioaccumulation: No data

Mobility: Product is soluble in water.

Ecotoxicity data is based on hazardous ingredient information.

Section 13: DISPOSAL CONSIDERATIONS

Disposal: Recycle and reuse wherever possible. Waste product may be treated with dilute

acid to neutralise it. Dispose of waste product via an approved waste disposal

contractor.

Disposal of Packaging: Packaging may contain product residues and should be treated as hazardous.

Where possible return to supplier for reuse/recycling. Dispose of packaging via an

approved waste disposal contractor.

Section 14: TRANSPORT INFORMATION

This product is classified as a Dangerous Good for transport in accordance with NZS5433:2020, IMDG or IATA.



Hazchem Code: 2X

NZS5433:2020 UN No: 3264

Proper Shipping Name: Corrosive liquid, acidic, inorganic, n.o.s (contains phosphoric acid)

Class: 8

Packing Group: III

Environmental hazard: Not applicable

Limited Quantity: 5L

IMDG:

UN No: 3264

Proper Shipping Name: Corrosive liquid, acidic, inorganic, n.o.s (contains phosphoric acid)

Class: 8

Packing Group: III Marine Pollutant: No

Revised by: Simonne Moses - HSNO Consultant SDS No: 1

EmS: F-A, S-B Limited Quantity: 5L

IATA:

UN No: 3264

Proper Shipping Name: Corrosive liquid, acidic, inorganic, n.o.s (contains phosphoric acid)

Class: 8

Packing Group: III

Environmental hazard: Not applicable

ERG Code: 8L

Special Provisions: A3, A803

Cargo Only: Packing Instructions - 855, Maximum Quantity/Pack - 60L

Passenger and Cargo: Packing Instructions – 851, Maximum Quantity/Pack – 5L

Passenger and Cargo Limited Quantity: Packing Instructions – Y840, Maximum Quantity/Pack – 1L

Ensure transportation methods prevent leakage from packages and collapsing loads.

Section 15: REGULATORY INFORMATION

Group Standard Allocation: Cleaning Products (Corrosive) Group Standard 2020

HSNO Approval Code: HSR002526

Classifications: Acute toxicity oral – Category 4

Corrosive to metals – Category 1 Skin irritation – Category 2 Serious eye irritation – Category 2

This substance triggers: Compliance Certificate

Compliance Certificate N/A
Certified Handler N/A

Quantity to be secured

when unattended N/A
Emergency Response Plan 1,000L
Secondary Containment 1,000L
Signage 1,000L

This substance is not required to be Tracked.

All workplace personnel handling this substance are required to be trained on the safe handling and PPE requirements for the hazards associated with this

substance.

Section 16: OTHER INFORMATION

The information provided in this Safety Data Sheet relates only to the specific material designated herein. This Safety Data Sheet summarises our best knowledge of the health and safety hazard information of the product and how to safely handle the product in the workplace. Each user should read this SDS and consider the information in the context of how the product will be handled and used in the workplace including its use in conjunction with other products.

Eraser REV 1 Page 7 of 8

Revised by: Simonne Moses - HSNO Consultant SDS No: 1

This substance is approved under HSNO for use as a cleaning product. All reasonable care has been taken to ensure that the information and advice contained herein are from sources believed to be reliable and to represent the most up-to-date knowledge available at the date given in Section 16. No liability is assumed for any damages related to the use or misuse of this substance.

All chemical materials may present unknown hazards as people have varying degrees of sensitivity to chemicals. Therefore, this product should be used with caution. The information herein is given in good faith, but no warranty, express or implied is made.

SDS Issued: 30/09/2022

Reason for Revision: Update to New Zealand regulatory requirements.

References:

EPA NZ Chemical Classification and Information Database European Chemical Classification Database EPA Guide: Assigning a Hazardous Substance to a Group Standard, 2014 Supplier SDS: 3D International, USA, Eraser Water Spot Remover, July 2016

END OF SAFETY DATA SHEET